

Gauge



GMM 50

Gauge

Gauge ø 50 mm, glycerin-fill,
bottom connection

Article category 9300



<i>Designation</i>	<i>scale</i>	<i>quality category</i>	<i>connection</i>	<i>nominal size</i>	<i>body</i>
--------------------	--------------	-------------------------	-------------------	---------------------	-------------

GMM 50-1	0...1	2,5	G 1/4	50	ABS
GMM 50-1,6	0...1,6	2,5	G 1/4	50	ABS
GMM 50-10	0...10	2,5	G 1/4	50	ABS
GMM 50-100	0...100	2,5	G 1/4	50	ABS
GMM 50-16	0...16	2,5	G 1/4	50	ABS
GMM 50-160	0...160	2,5	G 1/4	50	ABS
GMM 50-2,5	0...2,5	2,5	G 1/4	50	ABS
GMM 50-25	0...25	2,5	G 1/4	50	ABS
GMM 50-250	0...250	2,5	G 1/4	50	ABS
GMM 50-4	0...4	2,5	G 1/4	50	ABS
GMM 50-40	0...40	2,5	G 1/4	50	ABS
GMM 50-400	0...400	2,5	G 1/4	50	ABS
GMM 50-6	0...6	2,5	G 1/4	50	ABS
GMM 50-60	0...60	2,5	G 1/4	50	ABS

GMM 63

Gauge

Gauge ø 63 mm, glycerin-fill,
bottom connection

Article category 9301



<i>Designation</i>	<i>scale</i>	<i>quality category</i>	<i>connection</i>	<i>nominal size</i>	<i>body</i>
--------------------	--------------	-------------------------	-------------------	---------------------	-------------

GMM 63-06	0...6	1,6	G 1/4	63	Edelstahl
GMM 63-1	0...1	1,6	G 1/4	63	Edelstahl
GMM 63-1,6	0...1,6	1,6	G 1/4	63	Edelstahl
GMM 63-10	0...10	1,6	G 1/4	63	Edelstahl
GMM 63-100	0...100	1,6	G 1/4	63	Edelstahl
GMM 63-1000	0...16	1,6	G 1/4	63	Edelstahl
GMM 63-16	0...160	1,6	G 1/4	63	Edelstahl
GMM 63-160	0...2,5	1,6	G 1/4	63	Edelstahl
GMM 63-2,5	0...25	1,6	G 1/4	63	Edelstahl
GMM 63-25	0...250	1,6	G 1/4	63	Edelstahl
GMM 63-250	0...4	1,6	G 1/4	63	Edelstahl
GMM 63-4	0...40	1,6	G 1/4	63	Edelstahl
GMM 63-40	0...400	1,6	G 1/4	63	Edelstahl
GMM 63-400	0...6	1,6	G 1/4	63	Edelstahl
GMM 63-60	0...60	1,6	G 1/4	63	Edelstahl
GMM 63-600	0...600	1,6	G 1/4	63	Edelstahl

GMM 80

Gauge

Gauge ø 80 mm, glycerin-fill,
bottom-connection

Article category 9302



Designation

scale

quality category

connection

nominal size

body

GMM 80-1	0...1	1,0	G 1/2	80	Edelstahl
GMM 80-1,6	0...1,6	1,0	G 1/2	80	Edelstahl
GMM 80-10	0...10	1,0	G 1/2	80	Edelstahl
GMM 80-100	0...100	1,0	G 1/2	80	Edelstahl
GMM 80-16	0...16	1,0	G 1/2	80	Edelstahl
GMM 80-160	0...160	1,0	G 1/2	80	Edelstahl
GMM 80-2,5	0...2,5	1,0	G 1/2	80	Edelstahl
GMM 80-25	0...25	1,0	G 1/2	80	Edelstahl
GMM 80-250	0...250	1,0	G 1/2	80	Edelstahl
GMM 80-4	0...4	1,0	G 1/2	80	Edelstahl
GMM 80-40	0...40	1,0	G 1/2	80	Edelstahl
GMM 80-400	0...400	1,0	G 1/2	80	Edelstahl
GMM 80-6	0...6	1,0	G 1/2	80	Edelstahl
GMM 80-60	0...60	1,0	G 1/2	80	Edelstahl
GMM 80-600	0...600	1,0	G 1/2	80	Edelstahl

GMM 100

Gauge

Gauge ø 100 mm, glycerin-fill,
bottom connection

Article category 9303



<i>Designation</i>	<i>scale</i>	<i>quality category</i>	<i>connection</i>	<i>nominal size</i>	<i>body</i>
--------------------	--------------	-------------------------	-------------------	---------------------	-------------

GMM 100-0,6	0...0,6	1,0	G 1/2	100	Edelstahl
GMM 100-1	0...1	1,0	G 1/2	100	Edelstahl
GMM 100-1,6	0...1,6	1,0	G 1/2	100	Edelstahl
GMM 100-10	0...10	1,0	G 1/2	100	Edelstahl
GMM 100-100	0...100	1,0	G 1/2	100	Edelstahl
GMM 100-1000	0...1000	1,0	G 1/2	100	Edelstahl
GMM 100-16	0...16	1,0	G 1/2	100	Edelstahl
GMM 100-160	0...160	1,0	G 1/2	100	Edelstahl
GMM 100-2,5	0...2,5	1,0	G 1/2	100	Edelstahl
GMM 100-25	0...25	1,0	G 1/2	100	Edelstahl
GMM 100-250	0...250	1,0	G 1/2	100	Edelstahl
GMM 100-4	0...4	1,0	G 1/2	100	Edelstahl
GMM 100-40	0...40	1,0	G 1/2	100	Edelstahl
GMM 100-400	0...400	1,0	G 1/2	100	Edelstahl
GMM 100-6	0...6	1,0	G 1/2	100	Edelstahl
GMM 100-60	0...60	1,0	G 1/2	100	Edelstahl
GMM 100-600	0...600	1,0	G 1/2	100	Edelstahl

GMM 160

Gauge

Gauge ø 160 mm, glycerin-fill,
bottom connection

Article category 9304



<i>Designation</i>	<i>scale</i>	<i>quality category</i>	<i>connection</i>	<i>nominal size</i>	<i>body</i>
--------------------	--------------	-------------------------	-------------------	---------------------	-------------

GMM 160-0,6	0...0,6	1,0	G 1/2	160	Edelstahl
GMM 160-1	0/1	1,0	G 1/2	160	Edelstahl
GMM 160-1,6	0/1,6	1,0	G 1/2	160	Edelstahl
GMM 160-10	0/10	1,0	G 1/2	160	Edelstahl
GMM 160-100	0/100	1,0	G 1/2	160	Edelstahl
GMM 160-1000	0/1000	1,0	G 1/2	160	Edelstahl
GMM 160-16	0/16	1,0	G 1/2	160	Edelstahl
GMM 160-160	0/160	1,0	G 1/2	160	Edelstahl
GMM 160-2,5	0/2,5	1,0	G 1/2	160	Edelstahl
GMM 160-25	0/25	1,0	G 1/2	160	Edelstahl
GMM 160-250	0/250	1,0	G 1/2	160	Edelstahl
GMM 160-4	0/4	1,0	G 1/2	160	Edelstahl
GMM 160-40	0/40	1,0	G 1/2	160	Edelstahl
GMM 160-400	0/400	1,0	G 1/2	160	Edelstahl
GMM 160-6	0/6	1,0	G 1/2	160	Edelstahl
GMM 160-60	0/60	1,0	G 1/2	160	Edelstahl
GMM 160-600	0/600	1,0	G 1/2	160	Edelstahl

GMM 50 H

Gauge

Gauge ø 50 mm, glycerin-fill, rear centered connection

Article category 9305



<i>Designation</i>	<i>scale</i>	<i>quality category</i>	<i>connection</i>	<i>nominal size</i>	<i>body</i>
--------------------	--------------	-------------------------	-------------------	---------------------	-------------

GMM 50-1 H	0...1	2,5	G 1/4	50	ABS (schwarz)
GMM 50-1,6 H	0...1,6	2,5	G 1/4	50	ABS (schwarz)
GMM 50-10 H	0...10	2,5	G 1/4	50	ABS (schwarz)
GMM 50-100 H	0...100	2,5	G 1/4	50	ABS (schwarz)
GMM 50-16 H	0...16	2,5	G 1/4	50	ABS (schwarz)
GMM 50-160 H	0...160	2,5	G 1/4	50	ABS (schwarz)
GMM 50-2,5 H	0...2,5	2,5	G 1/4	50	ABS (schwarz)
GMM 50-25 H	0...25	2,5	G 1/4	50	ABS (schwarz)
GMM 50-250 H	0...250	2,5	G 1/4	50	ABS (schwarz)
GMM 50-4 H	0...4	2,5	G 1/4	50	ABS (schwarz)
GMM 50-40 H	0...40	2,5	G 1/4	50	ABS (schwarz)
GMM 50-400 H	0...400	2,5	G 1/4	50	ABS (schwarz)
GMM 50-6 H	0...6	2,5	G 1/4	50	ABS (schwarz)
GMM 50-60 H	0...60	2,5	G 1/4	50	ABS (schwarz)

GMM 63 H

Gauge

Gauge ø 63 mm, glycerin-fill, rear centered connection

Article category 9306



Designation

scale

quality category

connection

nominal size

body

GMM 63-04 H	0...4	1,6	G 1/4	63	Edelstahl
GMM 63-06 H	0...6	1,6	G 1/4	63	Edelstahl
GMM 63-1 H	0...1	1,6	G 1/4	63	Edelstahl
GMM 63-1,6 H	0...1,6	1,6	G 1/4	63	Edelstahl
GMM 63-10 H	0...10	1,6	G 1/4	63	Edelstahl
GMM 63-100 H	0...100	1,6	G 1/4	63	Edelstahl
GMM 63-16 H	0...16	1,6	G 1/4	63	Edelstahl
GMM 63-160 H	0...160	1,6	G 1/4	63	Edelstahl
GMM 63-2,5 H	0...2,5	1,6	G 1/4	63	Edelstahl
GMM 63-25 H	0...25	1,6	G 1/4	63	Edelstahl
GMM 63-250 H	0...250	1,6	G 1/4	63	Edelstahl
GMM 63-40 H	0...40	1,6	G 1/4	63	Edelstahl
GMM 63-400 H	0...400	1,6	G 1/4	63	Edelstahl
GMM 63-60 H	0...60	1,6	G 1/4	63	Edelstahl
GMM 63-600 H	0...60	1,6	G 1/4	63	Edelstahl

GMM 80 H

Gauge

Gauge ø 80 mm, glycerin-fill, rear centered connection

Article category 9307



<i>Designation</i>	<i>scale</i>	<i>quality category</i>	<i>connection</i>	<i>nominal size</i>	<i>body</i>
--------------------	--------------	-------------------------	-------------------	---------------------	-------------

GMM 80-1 H	0...1	1,0	G 1/2	80	Edelstahl
GMM 80-1,6 H	0...1,6	1,0	G 1/2	80	Edelstahl
GMM 80-10 H	0...10	1,0	G 1/2	80	Edelstahl
GMM 80-100 H	0...100	1,0	G 1/2	80	Edelstahl
GMM 80-16 H	0...16	1,0	G 1/2	80	Edelstahl
GMM 80-160 H	0...160	1,0	G 1/2	80	Edelstahl
GMM 80-2,5 H	0...2,5	1,0	G 1/2	80	Edelstahl
GMM 80-25 H	0...25	1,0	G 1/2	80	Edelstahl
GMM 80-250 H	0...250	1,0	G 1/2	80	Edelstahl
GMM 80-4 H	0...4	1,0	G 1/2	80	Edelstahl
GMM 80-40 H	0...40	1,0	G 1/2	80	Edelstahl
GMM 80-400 H	0...400	1,0	G 1/2	80	Edelstahl
GMM 80-6 H	0...6	1,0	G 1/2	80	Edelstahl
GMM 80-60 H	0...60	1,0	G 1/2	80	Edelstahl
GMM 80-600 H	0...60	1,0	G 1/2	80	Edelstahl

GMM 100 H

Gauge

Gauge ø 100 mm, glycerin-fill,
rear centered connection

Article category 9308



<i>Designation</i>	<i>scale</i>	<i>quality category</i>	<i>connection</i>	<i>nominal size</i>	<i>body</i>
--------------------	--------------	-------------------------	-------------------	---------------------	-------------

GMM 100-0,6 H	0...0,6	1,0	G 1/2	100	Edelstahl
GMM 100-04 H	0/4	1,0	G 1/2	100	Edelstahl
GMM 100-06 H	0/6	1,0	G 1/2	100	Edelstahl
GMM 100-1 H	0/1	1,0	G 1/2	100	Edelstahl
GMM 100-1,6 H	0/1,6	1,0	G 1/2	100	Edelstahl
GMM 100-10 H	0/10	1,0	G 1/2	100	Edelstahl
GMM 100-100 H	0/100	1,0	G 1/2	100	Edelstahl
GMM 100-16 H	0/16	1,0	G 1/2	100	Edelstahl
GMM 100-160 H	0/160	1,0	G 1/2	100	Edelstahl
GMM 100-2,5 H	0/2,5	1,0	G 1/2	100	Edelstahl
GMM 100-25 H	0/25	1,0	G 1/2	100	Edelstahl
GMM 100-250 H	0/250	1,0	G 1/2	100	Edelstahl
GMM 100-40 H	0/40	1,0	G 1/2	100	Edelstahl
GMM 100-400 H	0/400	1,0	G 1/2	100	Edelstahl
GMM 100-60 H	0/60	1,0	G 1/2	100	Edelstahl
GMM 100-600 H	0/600	1,0	G 1/2	100	Edelstahl

GMM 160 H

Gauge

Gauge ø 160 mm, glycerin-fill,
rear centered connection

Article category 9309



Designation

scale

quality category

connection

nominal size

body

GMM 160-1 H	0...100	1,0	G 1/2	160	Edelstahl
GMM 160-1,6 H	0/1,6	1,0	G 1/2	160	Edelstahl
GMM 160-10 H	0/10	1,0	G 1/2	160	Edelstahl
GMM 160-100 H	0/100	1,0	G 1/2	160	Edelstahl
GMM 160-1000 H	0/1000	1,0	G 1/2	160	Edelstahl
GMM 160-16 H	0/16	1,0	G 1/2	160	Edelstahl
GMM 160-160 H	0/160	1,0	G 1/2	160	Edelstahl
GMM 160-2,5 H	0/2,5	1,0	G 1/2	160	Edelstahl
GMM 160-25 H	0/25	1,0	G 1/2	160	Edelstahl
GMM 160-250 H	0/250	1,0	G 1/2	160	Edelstahl
GMM 160-4 H	0/4	1,0	G 1/2	160	Edelstahl
GMM 160-40 H	0/40	1,0	G 1/2	160	Edelstahl
GMM 160-400 H	0/400	1,0	G 1/2	160	Edelstahl
GMM 160-6 H	0/6	1,0	G 1/2	160	Edelstahl
GMM 160-60 H	0/60	1,0	G 1/2	160	Edelstahl
GMM 160-600 H	0/600	1,0	G 1/2	160	Edelstahl

GMM 63 HKR

Ferrule gauge

Gauge with U-clamp \varnothing 63 mm,
glycerin-fill, rear centered
connection

Article category 9311



<i>Designation</i>	<i>scale</i>	<i>quality category</i>	<i>connection</i>	<i>nominal size</i>	<i>body</i>
--------------------	--------------	-------------------------	-------------------	---------------------	-------------

GMM 63-06 HKR	0/6	1,6	G 1/4	63	Edelstahl
GMM 63-1 HKR	0/1	1,6	G 1/4	63	Edelstahl
GMM 63-1,6 HKR	0/1,6	1,6	G 1/4	63	Edelstahl
GMM 63-10 HKR	0/10	1,6	G 1/4	63	Edelstahl
GMM 63-100 HKR	0/100	1,6	G 1/4	63	Edelstahl
GMM 63-1000 HKR	0/1000	1,6	G 1/4	63	Edelstahl
GMM 63-16 HKR	0/16	1,6	G 1/4	63	Edelstahl
GMM 63-160 HKR	0/160	1,6	G 1/4	63	Edelstahl
GMM 63-2,5 HKR	0/2,5	1,6	G 1/4	63	Edelstahl
GMM 63-25 HKR	0/25	1,6	G 1/4	63	Edelstahl
GMM 63-250 HKR	0/250	1,6	G 1/4	63	Edelstahl
GMM 63-4 HKR	0/4	1,6	G 1/4	63	Edelstahl
GMM 63-40 HKR	0/40	1,6	G 1/4	63	Edelstahl
GMM 63-400 HKR	0/400	1,6	G 1/4	63	Edelstahl
GMM 63-60 HKR	0/60	1,6	G 1/4	63	Edelstahl
GMM 63-600 HKR	0/600	1,6	G 1/4	63	Edelstahl

GMM 100 HKR

Ferrule gauge

Gauge with U-clamp
ø 100 mm, glycerin-fill,
rear centered connection

Article category 9313



Designation

scale

quality category

connection

nominal size

body

GMM 100-1 HKR	0/1	1,0	G 1/2	100	Edelstahl
GMM 100-2,5 HKR	0/2,5	1,0	G 1/2	100	Edelstahl
GMM 100-4 HKR	0/4	1,0	G 1/2	100	Edelstahl
GMM 100-6 HKR	0/6	1,0	G 1/2	100	Edelstahl
GMM 100-10 HKR	0/10	1,0	G 1/2	100	Edelstahl
GMM 100-60 HKR	0/60	1,0	G 1/2	100	Edelstahl
GMM 100-100 HKR	0/100	1,0	G 1/2	100	Edelstahl
GMM 100-600 HKR	0/600	1,0	G 1/2	100	Edelstahl
GMM 100-0,6 HKR	0/0,6	1,0	G 1/2	100	Edelstahl
GMM 100-1,6 HKR	0/1,6	1,0	G 1/2	100	Edelstahl
GMM 100-1000 HKR	0/1000	1,0	G 1/2	100	Edelstahl
GMM 100-16 HKR	0/16	1,0	G 1/2	100	Edelstahl
GMM 100-160 HKR	0/160	1,0	G 1/2	100	Edelstahl
GMM 100-25 HKR	0/25	1,0	G 1/2	100	Edelstahl
GMM 100-250 HKR	0/250	1,0	G 1/2	100	Edelstahl
GMM 100-40 HKR	0/40	1,0	G 1/2	100	Edelstahl
GMM 100-400 HKR	0/400	1,0	G 1/2	100	Edelstahl

GMM 63 HFR

Gauge Frontring

Gauge with front flange
ø 63 mm, glycerin-fill,
rear centered connection

Article category 9316



<i>Designation</i>	<i>scale</i>	<i>quality category</i>	<i>connection</i>	<i>nominal size</i>	<i>body</i>
--------------------	--------------	-------------------------	-------------------	---------------------	-------------

GMM 63-1 HFR	0/1	1,0	G 1/4	63	Edelstahl
GMM 63-1,6 HFR	0/1,6	1,0	G 1/4	63	Edelstahl
GMM 63-10 HFR	0/10	1,0	G 1/4	63	Edelstahl
GMM 63-100 HFR	0/100	1,0	G 1/4	63	Edelstahl
GMM 63-16 HFR	0/16	1,0	G 1/4	63	Edelstahl
GMM 63-160 HFR	0/160	1,0	G 1/4	63	Edelstahl
GMM 63-2,5 HFR	0/2,5	1,0	G 1/4	63	Edelstahl
GMM 63-25 HFR	0/25	1,0	G 1/4	63	Edelstahl
GMM 63-250 HFR	0/250	1,0	G 1/4	63	Edelstahl
GMM 63-4 HFR	0/4	1,0	G 1/4	63	Edelstahl
GMM 63-40 HFR	0/40	1,0	G 1/4	63	Edelstahl
GMM 63-400 HFR	0/400	1,0	G 1/4	63	Edelstahl
GMM 63-6 HFR	0/6	1,0	G 1/4	63	Edelstahl
GMM 63-60 HFR	0/60	1,0	G 1/4	63	Edelstahl
GMM 63-600 HFR	0/600	1,0	G 1/4	63	Edelstahl

GMM 100 HFR

Gauge Frontring

Gauge front flange \varnothing 100 mm,
glycerin-fill, rear centered
connection

Article category 9318



Designation

scale

quality category

connection

nominal size

body

GMM 100-0,6 HFR	0/0,6	1,0	G 1/2	100	Edelstahl
GMM 100-1 HFR	0/1	1,0	G 1/2	100	Edelstahl
GMM 100-1,6 HFR	0/1,6	1,0	G 1/2	100	Edelstahl
GMM 100-10 HFR	0/10	1,0	G 1/2	100	Edelstahl
GMM 100-100 HFR	0/100	1,0	G 1/2	100	Edelstahl
GMM 100-1000 HFR	0/1000	1,0	G 1/2	100	Edelstahl
GMM 100-16 HFR	0/16	1,0	G 1/2	100	Edelstahl
GMM 100-160 HFR	0/160	1,0	G 1/2	100	Edelstahl
GMM 100-2,5 HFR	0/2,5	1,0	G 1/2	100	Edelstahl
GMM 100-25 HFR	0/25	1,0	G 1/2	100	Edelstahl
GMM 100-250 HFR	0/250	1,0	G 1/2	100	Edelstahl
GMM 100-4 HFR	0/4	1,0	G 1/2	100	Edelstahl
GMM 100-40 HFR	0/40	1,0	G 1/2	100	Edelstahl
GMM 100-400 HFR	0/400	1,0	G 1/2	100	Edelstahl
GMM 100-6 HFR	0/6	1,0	G 1/2	100	Edelstahl
GMM 100-60 HFR	0/60	1,0	G 1/2	100	Edelstahl
GMM 100-600 HFR	0/600	1,0	G 1/2	100	Edelstahl

GVM 50

Gauge

Gauge with bourdon tube,
vacuum \varnothing 50 mm, glycerin filled,
bottom connection

Article category 9320



Designation

scale

quality category

connection

nominal size

body

GVM 50-1+0	-1...0	2,5	G 1/4	50	Edelstahl
GVM 50-1+0,6	-1...+0,6	2,5	G 1/4	50	Edelstahl
GVM 50-1+1,5	-1...+1,5	2,5	G 1/4	50	Edelstahl
GVM 50-1+15	-1...+15	2,5	G 1/4	50	Edelstahl
GVM 50-1+3	-1...+3	2,5	G 1/4	50	Edelstahl
GVM 50-1+5	-1...+5	2,5	G 1/4	50	Edelstahl
GVM 50-1+9	-1...+9	2,5	G 1/4	50	Edelstahl

GVM 63

Gauge

Gauge with bourdon tube,
vacuum \varnothing 63 mm, glycerin filled,
bottom connection

Article category 9321



Designation

scale

quality category

connection

nominal size

body

GVM 63-1+0	-1...0	1,6	G 1/4	63	Edelstahl
GVM 63-1+0,6	-1...+0,6	1,6	G 1/4	63	Edelstahl
GVM 63-1+1,5	-1...+1,5	1,6	G 1/4	63	Edelstahl
GVM 63-1+15	-1...+15	1,6	G 1/4	63	Edelstahl
GVM 63-1+3	-1...+3	1,6	G 1/4	63	Edelstahl
GVM 63-1+5	-1...+5	1,6	G 1/4	63	Edelstahl
GVM 63-1+9	-1...+9	1,6	G 1/4	63	Edelstahl

GVM 80

Gauge

Gauge with bourdon tube,
vacuum \varnothing 80 mm, glycerin filled,
bottom connection

Article category 9322



Designation

scale

quality category

connection

nominal size

body

GVM 80-0,6+0	-0,6...0	1,0	G 1/2	80	Edelstahl
GVM 80-1+0	-1...0	1,0	G 1/2	80	Edelstahl
GVM 80-1+0,6	-1...+0,6	1,0	G 1/2	80	Edelstahl
GVM 80-1+1,5	-1...+1,5	1,0	G 1/2	80	Edelstahl
GVM 80-1+15	-1...+15	1,0	G 1/2	80	Edelstahl
GVM 80-1+3	-1...+3	1,0	G 1/2	80	Edelstahl
GVM 80-1+5	-1...+5	1,0	G 1/2	80	Edelstahl
GVM 80-1+9	-1...+9	1,0	G 1/2	80	Edelstahl

GVM 100

Gauge

Gauge with bourdon tube,
vacuum \varnothing 100 mm, glycerin filled,
bottom connection

Article category 9323



<i>Designation</i>	<i>scale</i>	<i>quality category</i>	<i>connection</i>	<i>nominal size</i>	<i>body</i>
--------------------	--------------	-------------------------	-------------------	---------------------	-------------

GVM 100-0,6+0	-0,6...0	1,0	G 1/2	100	Edelstahl
GVM 100-1+0	-1...0	1,0	G 1/2	100	Edelstahl
GVM 100-1+0,6	-1...+0,6	1,0	G 1/2	100	Edelstahl
GVM 100-1+1,5	-1...+1,5	1,0	G 1/2	100	Edelstahl
GVM 100-1+15	-1...+15	1,0	G 1/2	100	Edelstahl
GVM 100-1+3	-1...+3	1,0	G 1/2	100	Edelstahl
GVM 100-1+5	-1...+5	1,0	G 1/2	100	Edelstahl
GVM 100-1+9	-1...+9	1,0	G 1/2	100	Edelstahl

GVM 160

Gauge

Gauge with bourdon tube,
vacuum \varnothing 160 mm, glycerin filled,
bottom connection

Article category 9324



Designation

scale

quality category

connection

nominal size

body

GVM 160-0,6+0	-0,6...0	1,0	G 1/2	160	Edelstahl
GVM 160-1+0	-1...0	1,0	G 1/2	160	Edelstahl
GVM 160-1+0,6	-1...+0,6	1,0	G 1/2	160	Edelstahl
GVM 160-1+1,5	-1...+1,5	1,0	G 1/2	160	Edelstahl
GVM 160-1+15	-1...+15	1,0	G 1/2	160	Edelstahl
GVM 160-1+3	-1...+3	1,0	G 1/2	160	Edelstahl
GVM 160-1+5	-1...+5	1,0	G 1/2	160	Edelstahl
GVM 160-1+9	-1...+9	1,0	G 1/2	160	Edelstahl

GVM 50 H

Gauge

Gauge with bourdon tube, vacuum \varnothing 50 mm, glycerin filled, rear centered connection

Article category 9325



<i>Designation</i>	<i>scale</i>	<i>quality category</i>	<i>connection</i>	<i>nominal size</i>	<i>body</i>
--------------------	--------------	-------------------------	-------------------	---------------------	-------------

GVM 50-1+0 H	-1...0	2,5	G 1/4	50	Edelstahl
GVM 50-1+0,6 H	-1...+0,6	2,5	G 1/4	50	Edelstahl
GVM 50-1+1,5 H	-1...+1,5	2,5	G 1/4	50	Edelstahl
GVM 50-1+15 H	-1...+15	2,5	G 1/4	50	Edelstahl
GVM 50-1+3 H	-1...+3	2,5	G 1/4	50	Edelstahl
GVM 50-1+5 H	-1...+5	2,5	G 1/4	50	Edelstahl
GVM 50-1+9 H	-1...+9	2,5	G 1/4	50	Edelstahl

GVM 63 H

Gauge

Gauge with bourden tube \varnothing 63 mm, glycerin filled, rear centered connection

Article category 9326



Designation

scale

quality category

connection

nominal size

body

GVM 63-1+0 H	-1...0	1,6	G 1/4	63	Edelstahl
GVM 63-1+0,6 H	-1...+0,6	1,6	G 1/4	63	Edelstahl
GVM 63-1+1,5 H	-1...+1,5	1,6	G 1/4	63	Edelstahl
GVM 63-1+15 H	-1...+15	1,6	G 1/4	63	Edelstahl
GVM 63-1+3 H	-1...+3	1,6	G 1/4	63	Edelstahl
GVM 63-1+5 H	-1...+5	1,6	G 1/4	63	Edelstahl
GVM 63-1+9 H	-1...+9	1,6	G 1/4	63	Edelstahl

GVM 80 H

Gauge

Gauge with bourden tube
ø 80 mm, rear centered
connection

Article category 9327



Designation

scale

quality category

connection

nominal size

body

GVM 80-0,6+0 H	-0,6...0	1,0	G 1/2	80	Edelstahl
GVM 80-1+0 H	-1...0	1,0	G 1/2	80	Edelstahl
GVM 80-1+0,6 H	-1...+0,6	1,0	G 1/2	80	Edelstahl
GVM 80-1+1,5 H	-1...+1,5	1,0	G 1/2	80	Edelstahl
GVM 80-1+15 H	-1...+15	1,0	G 1/2	80	Edelstahl
GVM 80-1+3 H	-1...+3	1,0	G 1/2	80	Edelstahl
GVM 80-1+5 H	-1...+5	1,0	G 1/2	80	Edelstahl
GVM 80-1+9 H	-1...+9	1,0	G 1/2	80	Edelstahl

GVM 100 H

Gauge

Gauge with bourden tube \varnothing 100

mm, rear centered connection

Article category 9328



Designation

scale

quality category

connection

nominal size

body

GVM 100-0,6+0 H	-0,6...0	1,0	G 1/2	100	Edelstahl
GVM 100-1+0 H	-1...0	1,0	G 1/2	100	Edelstahl
GVM 100-1+0,6 H	-1...+0,6	1,0	G 1/2	100	Edelstahl
GVM 100-1+1,5 H	-1...+1,5	1,0	G 1/2	100	Edelstahl
GVM 100-1+15 H	-1...+15	1,0	G 1/2	100	Edelstahl
GVM 100-1+3 H	-1...+3	1,0	G 1/2	100	Edelstahl
GVM 100-1+5 H	-1...+5	1,0	G 1/2	100	Edelstahl
GVM 100-1+9 H	-1...+9	1,0	G 1/2	100	Edelstahl

GVM 160 H

Gauge

Gauge with bourden tube \varnothing 160

mm, rear centered connection

Article category 9329



Designation

scale

quality category

connection

nominal size

body

GVM 160-1+0 H	-1...0	1,0	G 1/2	160	Edelstahl
GVM 160-1+0,6 H	-1...+0,6	1,0	G 1/2	160	Edelstahl
GVM 160-1+1,5 H	-1...+1,5	1,0	G 1/2	160	Edelstahl
GVM 160-1+15 H	-1...+15	1,0	G 1/2	160	Edelstahl
GVM 160-1+3 H	-1...+3	1,0	G 1/2	160	Edelstahl
GVM 160-1+5 H	-1...+5	1,0	G 1/2	160	Edelstahl
GVM 160-1+9 H	-1...+9	1,0	G 1/2	160	Edelstahl

GVM 63 HKR

Gauge

Gauge with U-clamp \varnothing 63 mm,
rear centered connection

Article category 9330



Designation

scale

quality category

connection

nominal size

body

GVM 63-1+0 HKR	-1...0	1,6	G 1/4	63	Edelstahl
GVM 63-1+0,6 HKR	-1...+0,6	1,6	G 1/4	63	Edelstahl
GVM 63-1+1,5 HKR	-1...+1,5	1,6	G 1/4	63	Edelstahl
GVM 63-1+15 HKR	-1...+15	1,6	G 1/4	63	Edelstahl
GVM 63-1+3 HKR	-1...+3	1,6	G 1/4	63	Edelstahl
GVM 63-1+5 HKR	-1...+5	1,6	G 1/4	63	Edelstahl
GVM 63-1+9 HKR	-1...+9	1,6	G 1/4	63	Edelstahl

GVM 63 HFR

Gauge

Gauge with front flange,
vacuum \varnothing 63 mm,
rear centered connection

Article category 9332



<i>Designation</i>	<i>scale</i>	<i>quality category</i>	<i>connection</i>	<i>nominal size</i>	<i>body</i>
--------------------	--------------	-------------------------	-------------------	---------------------	-------------

GVM 63-1+0 HFR	-1...0	1,6	G 1/4	63	Edelstahl
GVM 63-1+0,6 HFR	-1...+0,6	1,6	G 1/4	63	Edelstahl
GVM 63-1+1,5 HFR	-1...+1,5	1,6	G 1/4	63	Edelstahl
GVM 63-1+15 HFR	-1...+15	1,6	G 1/4	63	Edelstahl
GVM 63-1+3 HFR	-1...+3	1,6	G 1/4	63	Edelstahl
GVM 63-1+5 HFR	-1...+5	1,6	G 1/4	63	Edelstahl
GVM 63-1+9 HFR	-1...+9	1,6	G 1/4	63	Edelstahl

GVM 100 HFR

Gauge

Gaugewith front flange,
vacuum \varnothing 100 mm,
rear centered connection

Article category 9334



Designation

scale

quality category

connection

nominal size

body

GVM 100-0,6+0 HFR	-1...0	1,0	G 1/2	100	Edelstahl
GVM 100-1+0 HFR	-1...0	1,0	G 1/2	100	Edelstahl
GVM 100-1+0,6 HFR	-1...+0,6	1,0	G 1/2	100	Edelstahl
GVM 100-1+1,5 HFR	-1...+1,5	1,0	G 1/2	100	Edelstahl
GVM 100-1+15 HFR	-1...+15	1,0	G 1/2	100	Edelstahl
GVM 100-1+3 HFR	-1...+3	1,0	G 1/2	100	Edelstahl
GVM 100-1+5 HFR	-1...+5	1,0	G 1/2	100	Edelstahl
GVM 100-1+9 HFR	-1...+9	1,0	G 1/2	100	Edelstahl

GVM 100 HKR

Gauge

Gauge with U-clamp,
vacuum \varnothing 100 mm,
rear centered connection

Article category 9331



Designation

scale

quality category

connection

nominal size

body

GVM 100-0,6+0 HKR	-1...0	1,0	G 1/2	100	Edelstahl
GVM 100-1+0 HKR	-1...0	1,0	G 1/2	100	Edelstahl
GVM 100-1+0,6 HKR	-1...+0,6	1,0	G 1/2	100	Edelstahl
GVM 100-1+1,5 HKR	-1...+1,5	1,0	G 1/2	100	Edelstahl
GVM 100-1+15 HKR	-1...+15	1,0	G 1/2	100	Edelstahl
GVM 100-1+3 HKR	-1...+3	1,0	G 1/2	100	Edelstahl
GVM 100-1+5 HKR	-1...+5	1,0	G 1/2	100	Edelstahl
GVM 100-1+9 HKR	-1...+9	1,0	G 1/2	100	Edelstahl

RMM 40 1/8

Gauge

Gauge with bourdon tube
ø 40 mm, bottom connection

Article category 9335



<i>Designation</i>	<i>scale</i>	<i>quality category</i>	<i>connection</i>	<i>nominal size</i>	<i>body</i>
--------------------	--------------	-------------------------	-------------------	---------------------	-------------

RMM 40-1,6-1/8	0...1,6	2,5	G 1/8	40	Kunstst./Stahl (sw)
RMM 40-1-1/8	0...1	2,5	G 1/8	40	Kunstst./Stahl (sw)
RMM 40-10-1/8	0...10	2,5	G 1/8	40	Kunstst./Stahl (sw)
RMM 40-100-1/8	0...100	2,5	G 1/8	40	Kunstst./Stahl (sw)
RMM 40-16-1/8	0...16	2,5	G 1/8	40	Kunstst./Stahl (sw)
RMM 40-160-1/8	0...160	2,5	G 1/8	40	Kunstst./Stahl (sw)
RMM 40-2,5-1/8	0...2,5	2,5	G 1/8	40	Kunstst./Stahl (sw)
RMM 40-25-1/8	0...25	2,5	G 1/8	40	Kunstst./Stahl (sw)
RMM 40-250-1/8	0...250	2,5	G 1/8	40	Kunstst./Stahl (sw)
RMM 40-315-1/8	0...315	2,5	G 1/8	40	Kunstst./Stahl (sw)
RMM 40-4-1/8	0...4	2,5	G 1/8	40	Kunstst./Stahl (sw)
RMM 40-40-1/8	0...40	2,5	G 1/8	40	Kunstst./Stahl (sw)
RMM 40-400-1/8	0...400	2,5	G 1/8	40	Kunstst./Stahl (sw)
RMM 40-6-1/8	0...6	2,5	G 1/8	40	Kunstst./Stahl (sw)
RMM 40-60-1/8	0...60	2,5	G 1/8	40	Kunstst./Stahl (sw)

RMM 40

Gauge

Gauge with bourdon tube
ø 40 mm, bottom connection

Article category 9336



Designation

scale

quality category

connection

nominal size

body

RMM 40-1	0...1	2,5	G 1/4	40	Kunststoff
RMM 40-1,6	0...1,6	2,5	G 1/4	40	Kunststoff
RMM 40-10	0...10	2,5	G 1/4	40	Kunststoff
RMM 40-100	0...100	2,5	G 1/4	40	Kunststoff
RMM 40-16	0...16	2,5	G 1/4	40	Kunststoff
RMM 40-160	0...160	2,5	G 1/4	40	Kunststoff
RMM 40-2,5	0...2,5	2,5	G 1/4	40	Kunststoff
RMM 40-25	0...25	2,5	G 1/4	40	Kunststoff
RMM 40-250	0...250	2,5	G 1/4	40	Kunststoff
RMM 40-315	0...315	2,5	G 1/4	40	Kunststoff
RMM 40-4	0...4	2,5	G 1/4	40	Kunststoff
RMM 40-40	0...40	2,5	G 1/4	40	Kunststoff
RMM 40-400	0...400	2,5	G 1/4	40	Kunststoff
RMM 40-6	0...6	2,5	G 1/4	40	Kunststoff
RMM 40-60	0...60	2,5	G 1/4	40	Kunststoff

RMM 50

Gauge

Gauge with bourdon tube
ø 50 mm, bottom connection

Article category 9337



<i>Designation</i>	<i>scale</i>	<i>quality category</i>	<i>connection</i>	<i>nominal size</i>	<i>body</i>
--------------------	--------------	-------------------------	-------------------	---------------------	-------------

RMM 50-0,6	0...0,6	2,5	G 1/4	50	Kunststoff
RMM 50-1	0...1	2,5	G 1/4	50	Kunststoff
RMM 50-1,6	0...1,6	2,5	G 1/4	50	Kunststoff
RMM 50-10	0...10	2,5	G 1/4	50	Kunststoff
RMM 50-100	0...100	2,5	G 1/4	50	Kunststoff
RMM 50-16	0...16	2,5	G 1/4	50	Kunststoff
RMM 50-160	0...160	2,5	G 1/4	50	Kunststoff
RMM 50-2,5	0...2,5	2,5	G 1/4	50	Kunststoff
RMM 50-25	0...25	2,5	G 1/4	50	Kunststoff
RMM 50-250	0...250	2,5	G 1/4	50	Kunststoff
RMM 50-315	0...315	2,5	G 1/4	50	Kunststoff
RMM 50-4	0...4	2,5	G 1/4	50	Kunststoff
RMM 50-40	0...40	2,5	G 1/4	50	Kunststoff
RMM 50-400	0...400	2,5	G 1/4	50	Kunststoff
RMM 50-6	0...6	2,5	G 1/4	50	Kunststoff
RMM 50-60	0...60	2,5	G 1/4	50	Kunststoff

RMM 63

Gauge

Gauge with bourdon tube
ø 63 mm, bottom connection

Article category 9338



<i>Designation</i>	<i>scale</i>	<i>quality category</i>	<i>connection</i>	<i>nominal size</i>	<i>body</i>
--------------------	--------------	-------------------------	-------------------	---------------------	-------------

RMM 63-0,6	0...0,6	2,5	G 1/4	63	Kunststoff
RMM 63-06	0...6	2,5	G 1/4	63	Kunststoff
RMM 63-1	0...1	2,5	G 1/4	63	Kunststoff
RMM 63-1,6	0...1,6	2,5	G 1/4	63	Kunststoff
RMM 63-10	0...10	2,5	G 1/4	63	Kunststoff
RMM 63-100	0...100	2,5	G 1/4	63	Kunststoff
RMM 63-16	0...16	2,5	G 1/4	63	Kunststoff
RMM 63-160	0...160	2,5	G 1/4	63	Kunststoff
RMM 63-2,5	0...2,5	2,5	G 1/4	63	Kunststoff
RMM 63-25	0...25	2,5	G 1/4	63	Kunststoff
RMM 63-250	0...250	2,5	G 1/4	63	Kunststoff
RMM 63-315	0...315	2,5	G 1/4	63	Kunststoff
RMM 63-4	0...4	2,5	G 1/4	63	Kunststoff
RMM 63-40	0...40	2,5	G 1/4	63	Kunststoff
RMM 63-400	0...400	2,5	G 1/4	63	Kunststoff
RMM 63-60	0...60	2,5	G 1/4	63	Kunststoff

RMM 63 K0

Gauge

Gauge with bourdon tube
ø 63 mm, bottom connection

Article category 9339



Designation

scale

quality category

connection

nominal size

body

RMM 63-10 K0	0...10	2,5	R 1/4" konisch	63	Kunststoff
RMM 63-16 K0	0...16	2,5	R 1/4" konisch	63	Kunststoff
RMM 63-4 K0	0...4	2,5	R 1/4" konisch	63	Kunststoff
RMM 63-6 K0	0...6	2,5	R 1/4" konisch	63	Kunststoff

RMM 80

Gauge

Gauge with bourdon tube
ø 80 mm, bottom connection

Article category 9340



Designation

scale

quality category

connection

nominal size

body

RMM 80-0,6	0...0,6	1,6	G 1/2	80	Kunststoff
RMM 80-1	0...1	1,6	G 1/2	80	Kunststoff
RMM 80-1,6	0...1,6	1,6	G 1/2	80	Kunststoff
RMM 80-10	0...10	1,6	G 1/2	80	Kunststoff
RMM 80-100	0...100	1,6	G 1/2	80	Kunststoff
RMM 80-16	0...16	1,6	G 1/2	80	Kunststoff
RMM 80-160	0...160	1,6	G 1/2	80	Kunststoff
RMM 80-2,5	0...2,5	1,6	G 1/2	80	Kunststoff
RMM 80-25	0...25	1,6	G 1/2	80	Kunststoff
RMM 80-250	0...250	1,6	G 1/2	80	Kunststoff
RMM 80-315	0...315	1,6	G 1/2	80	Kunststoff
RMM 80-4	0...4	1,6	G 1/2	80	Kunststoff
RMM 80-40	0...40	1,6	G 1/2	80	Kunststoff
RMM 80-400	0...400	1,6	G 1/2	80	Kunststoff
RMM 80-6	0...6	1,6	G 1/2	80	Kunststoff
RMM 80-60	0...60	1,6	G 1/2	80	Kunststoff

RMM 100

Gauge

Gauge with bourdon tube
Ø 100 mm, bottom connection

Article category 9341



Designation

scale

quality category

connection

nominal size

body

RMM 100-0,6	0...0,6	1,6	G 1/2	100	Kunststoff
RMM 100-1	0...1	1,6	G 1/2	100	Kunststoff
RMM 100-1,6	0...1,6	1,6	G 1/2	100	Kunststoff
RMM 100-10	0...10	1,6	G 1/2	100	Kunststoff
RMM 100-100	0... 00	1,6	G 1/2	100	Kunststoff
RMM 100-16	0...16	1,6	G 1/2	100	Kunststoff
RMM 100-160	0...160	1,6	G 1/2	100	Kunststoff
RMM 100-2,5	0...2,5	1,6	G 1/2	100	Kunststoff
RMM 100-25	0...25	1,6	G 1/2	100	Kunststoff
RMM 100-250	0...250	1,6	G 1/2	100	Kunststoff
RMM 100-315	0...315	1,6	G 1/2	100	Kunststoff
RMM 100-4	0...4	1,6	G 1/2	100	Kunststoff
RMM 100-40	0...40	1,6	G 1/2	100	Kunststoff
RMM 100-400	0...400	1,6	G 1/2	100	Kunststoff
RMM 100-6	0...6	1,6	G 1/2	100	Kunststoff
RMM 100-60	0...60	1,6	G 1/2	100	Kunststoff

RMM 160

Gauge

Gauge with bourdon tube
ø 160 mm, bottom connection

Article category 9342



Designation

scale

quality category

connection

nominal size

body

RMM 160-0,6	0...0,6	1,6	G 1/2	160	Stahl verchromt
RMM 160-1	0...1	1,6	G 1/2	160	Stahl verchromt
RMM 160-1,6	0...1,6	1,6	G 1/2	160	Stahl verchromt
RMM 160-10	0...10	1,6	G 1/2	160	Stahl verchromt
RMM 160-16	0...16	1,6	G 1/2	160	Stahl verchromt
RMM 160-2,5	0...2,5	1,6	G 1/2	160	Stahl verchromt
RMM 160-25	0...25	1,6	G 1/2	160	Stahl verchromt
RMM 160-4	0...4	1,6	G 1/2	160	Stahl verchromt
RMM 160-40	0...40	1,6	G 1/2	160	Stahl verchromt
RMM 160-6	0...6	1,6	G 1/2	160	Stahl verchromt

RMM 40 H

Gauge

Gauge with bourdon tube
ø 40 mm, rear centered
connection

Article category 9344



<i>Designation</i>	<i>scale</i>	<i>quality category</i>	<i>connection</i>	<i>nominal size</i>	<i>body</i>
--------------------	--------------	-------------------------	-------------------	---------------------	-------------

RMM 40-1 H	0...1	2,5	G 1/4	40	Kunststoff
RMM 40-1,6 H	0...1,6	2,5	G 1/4	40	Kunststoff
RMM 40-10 H	0...10	2,5	G 1/4	40	Kunststoff
RMM 40-100 H	0...100	2,5	G 1/4	40	Kunststoff
RMM 40-16 H	0...16	2,5	G 1/4	40	Kunststoff
RMM 40-160 H	0...160	2,5	G 1/4	40	Kunststoff
RMM 40-2,5 H	0...2,5	2,5	G 1/4	40	Kunststoff
RMM 40-25 H	0...25	2,5	G 1/4	40	Kunststoff
RMM 40-250 H	0...250	2,5	G 1/4	40	Kunststoff
RMM 40-315 H	0...315	2,5	G 1/4	40	Kunststoff
RMM 40-4 H	0...4	2,5	G 1/4	40	Kunststoff
RMM 40-40 H	0...40	2,5	G 1/4	40	Kunststoff
RMM 40-400 H	0...400	2,5	G 1/4	40	Kunststoff
RMM 40-6 H	0...6	2,5	G 1/4	40	Kunststoff
RMM 40-60 H	0...60	2,5	G 1/4	40	Kunststoff

RMM 50 H

Gauge

Gauge with bourdon tube
ø 50 mm, rear centered
connection

Article category 9345



Designation

scale

quality category

connection

nominal size

body

RMM 50-0,6 H	0...0,6	2,5	G 1/4	50	Kunststoff
RMM 50-1 H	0...1	2,5	G 1/4	50	Kunststoff
RMM 50-1,6 H	0...1,6	2,5	G 1/4	50	Kunststoff
RMM 50-10 H	0...10	2,5	G 1/4	50	Kunststoff
RMM 50-100 H	0...100	2,5	G 1/4	50	Kunststoff
RMM 50-16 H	0...16	2,5	G 1/4	50	Kunststoff
RMM 50-160 H	0...160	2,5	G 1/4	50	Kunststoff
RMM 50-2,5 H	0...2,5	2,5	G 1/4	50	Kunststoff
RMM 50-25 H	0...25	2,5	G 1/4	50	Kunststoff
RMM 50-250 H	0...250	2,5	G 1/4	50	Kunststoff
RMM 50-315 H	0...315	2,5	G 1/4	50	Kunststoff
RMM 50-4 H	0...4	2,5	G 1/4	50	Kunststoff
RMM 50-40 H	0...40	2,5	G 1/4	50	Kunststoff
RMM 50-400 H	0...400	2,5	G 1/4	50	Kunststoff
RMM 50-6 H	0...6	2,5	G 1/4	50	Kunststoff
RMM 50-60 H	0...60	2,5	G 1/4	50	Kunststoff

RMM 63 H

Gauge

Gauge with bourdon tube
ø 63 mm, rear centered
connection

Article category 9346



<i>Designation</i>	<i>scale</i>	<i>quality category</i>	<i>connection</i>	<i>nominal size</i>	<i>body</i>
--------------------	--------------	-------------------------	-------------------	---------------------	-------------

RMM 63-0,6 H	0...0,6	2,5	G 1/4	63	Kunststoff
RMM 63-1 H	0...1	2,5	G 1/4	63	Kunststoff
RMM 63-1,6 H	0...1,6	2,5	G 1/4	63	Kunststoff
RMM 63-10 H	0...10	2,5	G 1/4	63	Kunststoff
RMM 63-100 H	0...100	2,5	G 1/4	63	Kunststoff
RMM 63-16 H	0...16	2,5	G 1/4	63	Kunststoff
RMM 63-160 H	0...160	2,5	G 1/4	63	Kunststoff
RMM 63-2,5 H	0...2,5	2,5	G 1/4	63	Kunststoff
RMM 63-25 H	0...25	2,5	G 1/4	63	Kunststoff
RMM 63-250 H	0...250	2,5	G 1/4	63	Kunststoff
RMM 63-315 H	0...315	2,5	G 1/4	63	Kunststoff
RMM 63-4 H	0...4	2,5	G 1/4	63	Kunststoff
RMM 63-40 H	0...40	2,5	G 1/4	63	Kunststoff
RMM 63-400 H	0...400	2,5	G 1/4	63	Kunststoff
RMM 63-6 H	0...6	2,5	G 1/4	63	Kunststoff
RMM 63-60 H	0...60	2,5	G 1/4	63	Kunststoff

RMM 63 HKO

Gauge

Gauge with bourdon tube
ø 63 mm, rear centered
connection

Article category 9347



Designation

scale

quality category

connection

nominal size

body

RMM 63-10 HKO	0...10	2,5	R 1/4" konisch	63	Kunststoff
RMM 63-16 HKO	0...16	2,5	R 1/4" konisch	63	Kunststoff
RMM 63-4 HKO	0...4	2,5	R 1/4" konisch	63	Kunststoff
RMM 63-6 HKO	0...6	2,5	R 1/4" konisch	63	Kunststoff

RMM 80 H 1/4

Gauge

Gauge with bourdon tube
ø 80 mm, rear centered
connection

Article category 9348



Designation *scale* *quality category* *connection* *nominal size* *body*

RMM 80-0,6 H 1/4	0...0,6	1,6	G 1/4	80	Kunststoff
RMM 80-1 H 1/4	0...1	1,6	G 1/4	80	Kunststoff
RMM 80-1,6 H 1/4	0...1,6	1,6	G 1/4	80	Kunststoff
RMM 80-10 H 1/4	0...10	1,6	G 1/4	80	Kunststoff
RMM 80-100 H 1/4	0...100	1,6	G 1/4	80	Kunststoff
RMM 80-16 H 1/4	0...16	1,6	G 1/4	80	Kunststoff
RMM 80-160 H 1/4	0...160	1,6	G 1/4	80	Kunststoff
RMM 80-2,5 H 1/4	0...2,5	1,6	G 1/4	80	Kunststoff
RMM 80-25 H 1/4	0...25	1,6	G 1/4	80	Kunststoff
RMM 80-250 H 1/4	0...250	1,6	G 1/4	80	Kunststoff
RMM 80-315 H 1/4	0...315	1,6	G 1/4	80	Kunststoff
RMM 80-4 H 1/4	0...4	1,6	G 1/4	80	Kunststoff
RMM 80-40 H 1/4	0...40	1,6	G 1/4	80	Kunststoff
RMM 80-400 H 1/4	0...400	1,6	G 1/4	80	Kunststoff
RMM 80-6 H 1/4	0...6	1,6	G 1/4	80	Kunststoff
RMM 80-60 H 1/4	0...60	1,6	G 1/4	80	Kunststoff

RMM 100 H 1/4

Gauge

Gauge with bourdon tube
Ø 100 mm, rear centered
connection

Article category 9349



Designation

scale

quality category

connection

nominal size

body

RMM 100-0,6 H 1/4	0...0,6	1,6	G 1/4	100	Stahl (schwarz)
RMM 100-1 H 1/4	0...1	1,6	G 1/4	100	Stahl (schwarz)
RMM 100-1,6 H 1/4	0...1,6	1,6	G 1/4	100	Stahl (schwarz)
RMM 100-10 H 1/4	0...10	1,6	G 1/4	100	Stahl (schwarz)
RMM 100-100 H 1/4	0...100	1,6	G 1/4	100	Stahl (schwarz)
RMM 100-16 H 1/4	0...16	1,6	G 1/4	100	Stahl (schwarz)
RMM 100-160 H 1/4	0...160	1,6	G 1/4	100	Stahl (schwarz)
RMM 100-2,5 H 1/4	0...2,5	1,6	G 1/4	100	Stahl (schwarz)
RMM 100-25 H 1/4	0...25	1,6	G 1/4	100	Stahl (schwarz)
RMM 100-250 H 1/4	0...250	1,6	G 1/4	100	Stahl (schwarz)
RMM 100-315 H 1/4	0...315	1,6	G 1/4	100	Stahl (schwarz)
RMM 100-4 H 1/4	0...4	1,6	G 1/4	100	Stahl (schwarz)
RMM 100-40 H 1/4	0...40	1,6	G 1/4	100	Stahl (schwarz)
RMM 100-400 H 1/4	0...400	1,6	G 1/4	100	Stahl (schwarz)
RMM 100-6 H 1/4	0...6	1,6	G 1/4	100	Stahl (schwarz)
RMM 100-60 H 1/4	0...60	1,6	G 1/4	100	Stahl (schwarz)

RMM 40 HKR

Gauge

Gauge with bourdon tube and U-clamp \varnothing 40 mm, rear centered connection

Article category 9350



Designation

scale

quality category

connection

nominal size

body

RMM 40-1 HKR	0...1	2,5	G 1/4	40	Stahl (schwarz)
RMM 40-1,6 HKR	0...1,6	2,5	G 1/4	40	Stahl (schwarz)
RMM 40-10 HKR	0...10	2,5	G 1/4	40	Stahl (schwarz)
RMM 40-100 HKR	0...100	2,5	G 1/4	40	Stahl (schwarz)
RMM 40-16 HKR	0...16	2,5	G 1/4	40	Stahl (schwarz)
RMM 40-160 HKR	0...160	2,5	G 1/4	40	Stahl (schwarz)
RMM 40-2,5 HKR	0...2,5	2,5	G 1/4	40	Stahl (schwarz)
RMM 40-25 HKR	0...25	2,5	G 1/4	40	Stahl (schwarz)
RMM 40-250 HKR	0...250	2,5	G 1/4	40	Stahl (schwarz)
RMM 40-315 HKR	0...315	2,5	G 1/4	40	Stahl (schwarz)
RMM 40-4 HKR	0...4	2,5	G 1/4	40	Stahl (schwarz)
RMM 40-40 HKR	0...40	2,5	G 1/4	40	Stahl (schwarz)
RMM 40-400 HKR	0...400	2,5	G 1/4	40	Stahl (schwarz)
RMM 40-6 HKR	0...6	2,5	G 1/4	40	Stahl (schwarz)
RMM 40-60 HKR	0...60	2,5	G 1/4	40	Stahl (schwarz)

RMM 50 HKR

Gauge

Gauge with bourdon tube and U-clamp \varnothing 50 mm, rear centered connection

Article category 9351



Designation

scale

quality category

connection

nominal size

body

<i>Designation</i>	<i>scale</i>	<i>quality category</i>	<i>connection</i>	<i>nominal size</i>	<i>body</i>
RMM 50-0,6 HKR	0...0,6	2,5	G 1/4	50	Stahl (schwarz)
RMM 50-1 HKR	0...1	2,5	G 1/4	50	Stahl (schwarz)
RMM 50-1,6 HKR	0...1,6	2,5	G 1/4	50	Stahl (schwarz)
RMM 50-10 HKR	0...10	2,5	G 1/4	50	Stahl (schwarz)
RMM 50-100 HKR	0...100	2,5	G 1/4	50	Stahl (schwarz)
RMM 50-16 HKR	0...16	2,5	G 1/4	50	Stahl (schwarz)
RMM 50-160 HKR	0...160	2,5	G 1/4	50	Stahl (schwarz)
RMM 50-2,5 HKR	0...2,5	2,5	G 1/4	50	Stahl (schwarz)
RMM 50-25 HKR	0...25	2,5	G 1/4	50	Stahl (schwarz)
RMM 50-250 HKR	0...250	2,5	G 1/4	50	Stahl (schwarz)
RMM 50-315 HKR	0...315	2,5	G 1/4	50	Stahl (schwarz)
RMM 50-4 HKR	0...4	2,5	G 1/4	50	Stahl (schwarz)
RMM 50-40 HKR	0...40	2,5	G 1/4	50	Stahl (schwarz)
RMM 50-400 HKR	0...400	2,5	G 1/4	50	Stahl (schwarz)
RMM 50-6 HKR	0...6	2,5	G 1/4	50	Stahl (schwarz)
RMM 50-60 HKR	0...60	2,5	G 1/4	50	Stahl (schwarz)

RMM 63 HKR

Gauge

Gauge with bourdon tube and U-clamp \varnothing 63 mm, rear centered connection

Article category 9352



Designation

scale

quality category

connection

nominal size

body

RMM 63-0,6 HKR	0...0,6	2,5	G 1/4	63	Stahl (schwarz)
RMM 63-1 HKR	0...1	2,5	G 1/4	63	Stahl (schwarz)
RMM 63-1,6 HKR	0...1,6	2,5	G 1/4	63	Stahl (schwarz)
RMM 63-10 HKR	0...10	2,5	G 1/4	63	Stahl (schwarz)
RMM 63-100 HKR	0...100	2,5	G 1/4	63	Stahl (schwarz)
RMM 63-16 HKR	0...16	2,5	G 1/4	63	Stahl (schwarz)
RMM 63-160 HKR	0...160	2,5	G 1/4	63	Stahl (schwarz)
RMM 63-2,5 HKR	0...2,5	2,5	G 1/4	63	Stahl (schwarz)
RMM 63-25 HKR	0...25	2,5	G 1/4	63	Stahl (schwarz)
RMM 63-250 HKR	0...250	2,5	G 1/4	63	Stahl (schwarz)
RMM 63-315 HKR	0...315	2,5	G 1/4	63	Stahl (schwarz)
RMM 63-4 HKR	0...4	2,5	G 1/4	63	Stahl (schwarz)
RMM 63-40 HKR	0...40	2,5	G 1/4	63	Stahl (schwarz)
RMM 63-400 HKR	0...400	2,5	G 1/4	63	Stahl (schwarz)
RMM 63-6 HKR	0...6	2,5	G 1/4	63	Stahl (schwarz)
RMM 63-60 HKR	0...60	2,5	G 1/4	63	Stahl (schwarz)

RMM 40 HFR

Gauge

Gauge with bourdon tube and front flange \varnothing 40 mm, rear centered connection

Article category 9353



Designation

scale

quality category

connection

nominal size

body

RMM 40-1 HFR	0...1	2,5	G 1/4	40	Stahl (schwarz)
RMM 40-1,6 HFR	0...1,6	2,5	G 1/4	40	Stahl (schwarz)
RMM 40-10 HFR	0...10	2,5	G 1/4	40	Stahl (schwarz)
RMM 40-100 HFR	0...100	2,5	G 1/4	40	Stahl (schwarz)
RMM 40-16 HFR	0...16	2,5	G 1/4	40	Stahl (schwarz)
RMM 40-160 HFR	0...160	2,5	G 1/4	40	Stahl (schwarz)
RMM 40-2,5 HFR	0...2,5	2,5	G 1/4	40	Stahl (schwarz)
RMM 40-25 HFR	0...25	2,5	G 1/4	40	Stahl (schwarz)
RMM 40-250 HFR	0...250	2,5	G 1/4	40	Stahl (schwarz)
RMM 40-315 HFR	0...315	2,5	G 1/4	40	Stahl (schwarz)
RMM 40-4 HFR	0...4	2,5	G 1/4	40	Stahl (schwarz)
RMM 40-40 HFR	0...40	2,5	G 1/4	40	Stahl (schwarz)
RMM 40-400 HFR	0...400	2,5	G 1/4	40	Stahl (schwarz)
RMM 40-6 HFR	0...6	2,5	G 1/4	40	Stahl (schwarz)
RMM 40-60 HFR	0...60	2,5	G 1/4	40	Stahl (schwarz)

RMM 50 HFR

Gauge

Gauge with bourdon tube and front flange \varnothing 50 mm, rear centered connection

Article category 9354



Designation

scale

quality category connection

nominal size

body

RMM 50-0,6 HFR	0...0,6	2,5	G 1/4	50	Stahl (schwarz)
RMM 50-1 HFR	0...1	2,5	G 1/4	50	Stahl (schwarz)
RMM 50-1,6 HFR	0...1,6	2,5	G 1/4	50	Stahl (schwarz)
RMM 50-10 HFR	0...10	2,5	G 1/4	50	Stahl (schwarz)
RMM 50-100 HFR	0...100	2,5	G 1/4	50	Stahl (schwarz)
RMM 50-16 HFR	0...16	2,5	G 1/4	50	Stahl (schwarz)
RMM 50-160 HFR	0...160	2,5	G 1/4	50	Stahl (schwarz)
RMM 50-2,5 HFR	0...2,5	2,5	G 1/4	50	Stahl (schwarz)
RMM 50-25 HFR	0...25	2,5	G 1/4	50	Stahl (schwarz)
RMM 50-250 HFR	0...250	2,5	G 1/4	50	Stahl (schwarz)
RMM 50-315 HFR	0...315	2,5	G 1/4	50	Stahl (schwarz)
RMM 50-4 HFR	0...4	2,5	G 1/4	50	Stahl (schwarz)
RMM 50-40 HFR	0...40	2,5	G 1/4	50	Stahl (schwarz)
RMM 50-400 HFR	0...400	2,5	G 1/4	50	Stahl (schwarz)
RMM 50-6 HFR	0...6	2,5	G 1/4	50	Stahl (schwarz)
RMM 50-60 HFR	0...60	2,5	G 1/4	50	Stahl (schwarz)

RMM 63 HFR

Gauge

Gauge with bourdon tube and front flange \varnothing 63 mm, rear centered connection

Article category 9355



Designation *scale* *quality category* *connection* *nominal size* *body*

RMM 63-0,6 HFR	0...0,6	2,5	G 1/4	63	Stahl (schwarz)
RMM 63-1 HFR	0...1	2,5	G 1/4	63	Stahl (schwarz)
RMM 63-1,6 HFR	0...1,6	2,5	G 1/4	63	Stahl (schwarz)
RMM 63-10 HFR	0...10	2,5	G 1/4	63	Stahl (schwarz)
RMM 63-100 HFR	0...100	2,5	G 1/4	63	Stahl (schwarz)
RMM 63-16 HFR	0...16	2,5	G 1/4	63	Stahl (schwarz)
RMM 63-160 HFR	0...160	2,5	G 1/4	63	Stahl (schwarz)
RMM 63-2,5 HFR	0...2,5	2,5	G 1/4	63	Stahl (schwarz)
RMM 63-25 HFR	0...25	2,5	G 1/4	63	Stahl (schwarz)
RMM 63-250 HFR	0...250	2,5	G 1/4	63	Stahl (schwarz)
RMM 63-315 HFR	0...315	2,5	G 1/4	63	Stahl (schwarz)
RMM 63-4 HFR	0...4	2,5	G 1/4	63	Stahl (schwarz)
RMM 63-40 HFR	0...40	2,5	G 1/4	63	Stahl (schwarz)
RMM 63-400 HFR	0...400	2,5	G 1/4	63	Stahl (schwarz)
RMM 63-6 HFR	0...6	2,5	G 1/4	63	Stahl (schwarz)
RMM 63-60 HFR	0...60	2,5	G 1/4	63	Stahl (schwarz)

RVM 40 1/8

Gauge

Gauge with bourdon tube,
vacuum, \varnothing 40 mm

Article category 9360



<i>Designation</i>	<i>scale</i>	<i>quality category</i>	<i>connection</i>	<i>nominal size</i>	<i>body</i>
--------------------	--------------	-------------------------	-------------------	---------------------	-------------

RVM 40-1+0,6-1/8	-1...+0,6	2,5	G 1/8	40	ABS
RVM 40-1+0-1/8	-1...0	2,5	G 1/8	40	ABS
RVM 40-1+1,5-1/8	-1...+1,5	2,5	G 1/8	40	ABS
RVM 40-1+15-1/8	-1...+15	2,5	G 1/8	40	ABS
RVM 40-1+3-1/8	-1...+3	2,5	G 1/8	40	ABS
RVM 40-1+5-1/8	-1...+5	2,5	G 1/8	40	ABS
RVM 40-1+9-1/8	-1...+9	2,5	G 1/8	40	ABS
RVM 40-1+0	-1...0	2,5	G 1/4	40	ABS
RVM 40-1+0,6	-1...+0,6	2,5	G 1/4	40	ABS
RVM 40-1+1,5	-1...+1,5	2,5	G 1/4	40	ABS
RVM 40-1+15	-1...+15	2,5	G 1/4	40	ABS
RVM 40-1+3	-1...+3	2,5	G 1/4	40	ABS
RVM 40-1+5	-1...+5	2,5	G 1/4	40	ABS
RVM 40-1+9	-1...+9	2,5	G 1/4	40	ABS

RVM 50

Gauge

Gauge with bourdon tube,
vacuum \varnothing 50 mm,
bottom connection

Article category 9362



Designation

scale

quality category

connection

nominal size

body

RVM 50-1+0	-1...0	2,5	G 1/4	50	ABS
RVM 50-1+0,6	-1...+0,6	2,5	G 1/4	50	ABS
RVM 50-1+1,5	-1...+1,5	2,5	G 1/4	50	ABS
RVM 50-1+15	-1...+15	2,5	G 1/4	50	ABS
RVM 50-1+3	-1...+3	2,5	G 1/4	50	ABS
RVM 50-1+5	-1...+5	2,5	G 1/4	50	ABS
RVM 50-1+9	-1...+9	2,5	G 1/4	50	ABS

RVM 63

Gauge

Gauge with bourdon tube,
vacuum \varnothing 63 mm,
bottom connection

Article category 9363



<i>Designation</i>	<i>scale</i>	<i>quality category</i>	<i>connection</i>	<i>nominal size</i>	<i>body</i>
--------------------	--------------	-------------------------	-------------------	---------------------	-------------

RVM 63-1+0	-1...0	2,5	G 1/4	63	ABS
RVM 63-1+0,6	-1...+0,6	2,5	G 1/4	63	ABS
RVM 63-1+1,5	-1...+1,5	2,5	G 1/4	63	ABS
RVM 63-1+15	-1...+15	2,5	G 1/4	63	ABS
RVM 63-1+3	-1...+3	2,5	G 1/4	63	ABS
RVM 63-1+5	-1...+5	2,5	G 1/4	63	ABS
RVM 63-1+9	-1...+9	2,5	G 1/4	63	ABS

RVM 80

Gauge

Gauge with bourdon tube,
vacuum \varnothing 80 mm,
bottom connection

Article category 9364



Designation

scale

quality category

connection

nominal size

body

RVM 80-1+0	-1...0	1,6	G 1/2	80	ABS
RVM 80-1+0,6	-1...+0,6	1,6	G 1/2	80	ABS
RVM 80-1+1,5	-1...+1,5	1,6	G 1/2	80	ABS
RVM 80-1+15	-1...+15	1,6	G 1/2	80	ABS
RVM 80-1+3	-1...+3	1,6	G 1/2	80	ABS
RVM 80-1+5	-1...+5	1,6	G 1/2	80	ABS
RVM 80-1+9	-1...+9	1,6	G 1/2	80	ABS

RVM 100

Gauge

Gauge with bourdon tube,
vacuum \varnothing 100 mm,
bottom connection

Article category 9365



<i>Designation</i>	<i>scale</i>	<i>quality category</i>	<i>connection</i>	<i>nominal size</i>	<i>body</i>
--------------------	--------------	-------------------------	-------------------	---------------------	-------------

RVM 100-1+0	-1...0	1,6	G 1/2	100	ABS
RVM 100-1+0,6	-1...+0,6	1,6	G 1/2	100	ABS
RVM 100-1+1,5	-1...+1,5	1,6	G 1/2	100	ABS
RVM 100-1+15	-1...+15	1,6	G 1/2	100	ABS
RVM 100-1+3	-1...+3	1,6	G 1/2	100	ABS
RVM 100-1+5	-1...+5	1,6	G 1/2	100	ABS
RVM 100-1+9	-1...+9	1,6	G 1/2	100	ABS

RVM 40 H 1/8

Gauge

Gauge with bourdon tube,
vacuum \varnothing 40 mm,
rear centered connection

Article category 9366



Designation

scale

quality category

connection

nominal size

body

RVM 40-1+0,6 H1/8	-1...+0,6	2,5	G 1/8"	40	ABS
RVM 40-1+0 H1/8	-1...0	2,5	G 1/8"	40	ABS
RVM 40-1+1,5 H1/8	-1...+1,5	2,5	G 1/8"	40	ABS
RVM 40-1+15 H1/8	-1...+15	2,5	G 1/8"	40	ABS
RVM 40-1+3 H1/8	-1...+3	2,5	G 1/8"	40	ABS
RVM 40-1+5 H1/8	-1...+5	2,5	G 1/8"	40	ABS
RVM 40-1+9 H1/8	-1...+9	2,5	G 1/8"	40	ABS

RVM 40 H

Gauge

Gauge with bourdon tube,
vacuum \varnothing 40 mm,
rear centered connection

Article category 9367



Designation

scale

quality category

connection

nominal size

body

RVM 40-1+0,6 H	-1...+0,6	2,5	G 1/4	40	ABS
RVM 40-1+0 H	-1...0	2,5	G 1/4	40	ABS
RVM 40-1+1,5 H	-1...+1,5	2,5	G 1/4	40	ABS
RVM 40-1+15 H	-1...+15	2,5	G 1/4	40	ABS
RVM 40-1+3 H	-1...+3	2,5	G 1/4	40	ABS
RVM 40-1+5 H	-1...+5	2,5	G 1/4	40	ABS
RVM 40-1+9 H	-1...+9	2,5	G 1/4	40	ABS

RVM 50 H

Gauge

Gauge with bourdon tube,
vacuum \varnothing 50 mm,
rear centered connection

Article category 9368



<i>Designation</i>	<i>scale</i>	<i>quality category</i>	<i>connection</i>	<i>nominal size</i>	<i>body</i>
--------------------	--------------	-------------------------	-------------------	---------------------	-------------

RVM 50-1+0,6 H	-1...+0,6	2,5	G 1/8	50	ABS
RVM 50-1+0 H	-1...0	2,5	G 1/8	50	ABS
RVM 50-1+1,5 H	-1...+1,5	2,5	G 1/8	50	ABS
RVM 50-1+15 H	-1...+15	2,5	G 1/8	50	ABS
RVM 50-1+3 H	-1...+3	2,5	G 1/8	50	ABS
RVM 50-1+5 H	-1...+5	2,5	G 1/8	50	ABS
RVM 50-1+9 H	-1...+9	2,5	G 1/8	50	ABS

RVM 63 H

Gauge

Gauge with bourdon tube,
vacuum \varnothing 63 mm,
rear centered connection

Article category 9369



Designation

scale

quality category

connection

nominal size

body

RVM 63-1+0,6 H	-1...+0,6	2,5	G 1/4	63	ABS
RVM 63-1+0 H	-1...0	2,5	G 1/4	63	ABS
RVM 63-1+1,5 H	-1...+1,5	2,5	G 1/4	63	ABS
RVM 63-1+15 H	-1...+15	2,5	G 1/4	63	ABS
RVM 63-1+3 H	-1...+3	2,5	G 1/4	63	ABS
RVM 63-1+5 H	-1...+5	2,5	G 1/4	63	ABS
RVM 63-1+9 H	-1...+9	2,5	G 1/4	63	ABS

RVM 80 H 1/4

Gauge

Gauge with bourdon tube,
vacuum \varnothing 80 mm,
rear centered connection

Article category 9370



Designation

scale

quality category connection

nominal size

body

RVM 80-1+0,6 H1/4	-1...+0,6	1,6	G 1/4	80	ABS
RVM 80-1+0 H1/4	-1...0	1,6	G 1/4	80	ABS
RVM 80-1+1,5 H1/4	-1...+1,5	1,6	G 1/4	80	ABS
RVM 80-1+15 H1/4	-1...+15	1,6	G 1/4	80	ABS
RVM 80-1+3 H1/4	-1...+3	1,6	G 1/4	80	ABS
RVM 80-1+5 H1/4	-1...+5	1,6	G 1/4	80	ABS
RVM 80-1+9 H1/4	-1...+9	1,6	G 1/4	80	ABS

RVM 100 H 1/4

Gauge

Gauge with bourdon tube,
vacuum \varnothing 100 mm,
rear centered connection

Article category 9371



Designation

scale

quality category

connection

nominal size

body

RVM 100-1+0,6 H1/4	-1...+0,6	1,6	G 1/4	100	Stahl (schwarz)
RVM 100-1+0 H1/4	-1...0	1,6	G 1/4	100	Stahl (schwarz)
RVM 100-1+1,5 H1/4	-1...+1,5	1,6	G 1/4	100	Stahl (schwarz)
RVM 100-1+15 H1/4	-1...+15	1,6	G 1/4	100	Stahl (schwarz)
RVM 100-1+3 H1/4	-1...+3	1,6	G 1/4	100	Stahl (schwarz)
RVM 100-1+5 H1/4	-1...+5	1,6	G 1/4	100	Stahl (schwarz)
RVM 100-1+9 H1/4	-1...+9	1,6	G 1/4	100	Stahl (schwarz)

RVM 40 HKR

Gauge

Gauge with bourdon tube and U-clamp, vacuum \varnothing 40 mm, rear centered connection

Article category 9372



Designation

scale

quality category

connection

nominal size

body

RVM 40-1+0,6 HKR	-1...+0,6	2,5	G 1/4	40	Stahl (schwarz)
RVM 40-1+0 HKR	-1...0	2,5	G 1/4	40	Stahl (schwarz)
RVM 40-1+1,5 HKR	-1...+1,5	2,5	G 1/4	40	Stahl (schwarz)
RVM 40-1+15 HKR	-1...+15	2,5	G 1/4	40	Stahl (schwarz)
RVM 40-1+3 HKR	-1...+3	2,5	G 1/4	40	Stahl (schwarz)
RVM 40-1+5 HKR	-1...+5	2,5	G 1/4	40	Stahl (schwarz)
RVM 40-1+9 HKR	-1...+9	2,5	G 1/4	40	Stahl (schwarz)

RVM 50 HKR

Gauge

Gauge with bourdon tube and U-clamp, vacuum \varnothing 50 mm, rear centered connection

Article category 9373



Designation

scale

quality category

connection

nominal size

body

RVM 50-1+0,6 HKR	-1...+0,6	2,5	G 1/4	50	Stahl (schwarz)
RVM 50-1+0 HKR	-1...0	2,5	G 1/4	50	Stahl (schwarz)
RVM 50-1+1,5 HKR	-1...+1,5	2,5	G 1/4	50	Stahl (schwarz)
RVM 50-1+15 HKR	-1...+15	2,5	G 1/4	50	Stahl (schwarz)
RVM 50-1+3 HKR	-1...+3	2,5	G 1/4	50	Stahl (schwarz)
RVM 50-1+5 HKR	-1...+5	2,5	G 1/4	50	Stahl (schwarz)
RVM 50-1+9 HKR	-1...+9	2,5	G 1/4	50	Stahl (schwarz)

RVM 63 HKR

Gauge

Gauge with bourdon tube and U-clamp, vacuum \varnothing 63 mm, rear centered connection

Article category 9374



Designation

scale

quality category

connection

nominal size

body

RVM 63-1+0,6 HKR	-1...+0,6	2,5	G 1/4	63	Stahl (schwarz)
RVM 63-1+0 HKR	-1...0	2,5	G 1/4	63	Stahl (schwarz)
RVM 63-1+1,5 HKR	-1...+1,5	2,5	G 1/4	63	Stahl (schwarz)
RVM 63-1+15 HKR	-1...+15	2,5	G 1/4	63	Stahl (schwarz)
RVM 63-1+3 HKR	-1...+3	2,5	G 1/4	63	Stahl (schwarz)
RVM 63-1+5 HKR	-1...+5	2,5	G 1/4	63	Stahl (schwarz)
RVM 63-1+9 HKR	-1...+9	2,5	G 1/4	63	Stahl (schwarz)

RVM 40 HFR

Gauge

Gauge with bourdon tube and front flange, vacuum \varnothing 40 mm, rear centered connection

Article category 9375



Designation

scale

quality category

connection

nominal size

body

RVM 40-1+0,6 HFR	-1...+0,6	2,5	G 1/4	40	Stahl (schwarz)
RVM 40-1+1,5 HFR	-1...+1,5	2,5	G 1/4	40	Stahl (schwarz)
RVM 40-1+15 HFR	-1...+15	2,5	G 1/4	40	Stahl (schwarz)
RVM 40-1+3 HFR	-1...+3	2,5	G 1/4	40	Stahl (schwarz)
RVM 40-1+5 HFR	-1...+5	2,5	G 1/4	40	Stahl (schwarz)
RVM 40-1+9 HFR	-1...+9	2,5	G 1/4	40	Stahl (schwarz)

RVM 50 HFR

Gauge

Gauge with bourdon tube and front flange, vacuum \varnothing 50 mm, rear centered connection

Article category 9376



Designation

scale

quality category

connection

nominal size

body

RVM 50-1+0 HFR	-1...0	2,5	G 1/4	50	Stahl (schwarz)
RVM 50-1+1,5 HFR	-1...+1,5	2,5	G 1/4	50	Stahl (schwarz)
RVM 50-1+15 HFR	-1...+15	2,5	G 1/4	50	Stahl (schwarz)
RVM 50-1+3 HFR	-1...+3	2,5	G 1/4	50	Stahl (schwarz)
RVM 50-1+5 HFR	-1...+5	2,5	G 1/4	50	Stahl (schwarz)
RVM 50-1+9 HFR	-1...+9	2,5	G 1/4	50	Stahl (schwarz)

RVM 63 HFR

Gauge

Gauge with bourdon tube and front flange, vacuum \varnothing 63 mm, rear centered connection

Article category 9377



Designation

scale

quality category

connection

nominal size

body

RVM 63-1+0 HFR	-1...0	2,5	G 1/4	63	Stahl (schwarz)
RVM 63-1+0,6 HFR	-1...+0,6	2,5	G 1/4	63	Stahl (schwarz)
RVM 63-1+15 HFR	-1...+15	2,5	G 1/4	63	Stahl (schwarz)
RVM 63-1+3 HFR	-1...+3	2,5	G 1/4	63	Stahl (schwarz)
RVM 63-1+5 HFR	-1...+5	2,5	G 1/4	63	Stahl (schwarz)
RVM 63-1+9 HFR	-1...+9	2,5	G 1/4	63	Stahl (schwarz)

GMM SCHUTZ

Protective rubber cap

for gauge with bottom connection

Article category 9399



<i>Designation</i>	<i>nominal size</i>	<i>material</i>	<i>connectionlage</i>	<i>color</i>
--------------------	---------------------	-----------------	-----------------------	--------------

GMM SCHUTZ 100	63	Gummi	für connection unten und rückseitig	blau
GMM SCHUTZ 63	100	Gummi	für connection unten und rückseitig	blau

Index

F

Ferrule gauge 12-13

G

Gauge Frontring 14-15

Gauge 1-11

Gauge 16-66

GMM 100 H 10

GMM 100 HFR 15

GMM 100 HKR 13

GMM 100 5

GMM 160 H 11

GMM 160 6

GMM 50 H 7

GMM 50 2

GMM 63 H 8

GMM 63 HFR 14

GMM 63 HKR 12

GMM 63 3

GMM 80 H 9

GMM 80 4

GMM SCHUTZ 67

GVM 100 H 24

GVM 100 HFR 28

GVM 100 HKR 29

GVM 100 19

GVM 160 H 25

GVM 160 20

GVM 50 H 21

GVM 50 16

GVM 63 H 22

GVM 63 HFR 27

GVM 63 HKR 26

GVM 63 17

GVM 80 H 23

GVM 80 18

P

Protective rubber cap 67

R

RMM 100 H 1/4 43

RMM 100 36

RMM 160 37

RMM 40 1/8 30

RMM 40 H 38

RMM 40 HFR 47

RMM 40 HKR 44

RMM 40 31

RMM 50 H 39

RMM 50 HFR 48

RMM 50 HKR 45

RMM 50 32

RMM 63 H 40

Index

RMM 63 HFR	49
RMM 63 HKO	41
RMM 63 HKR	46
RMM 63 KO	34
RMM 63	33
RMM 80 H 1/4	42
RMM 80	35
RVM 100 H 1/4	60
RVM 100	54
RVM 40 1/8	50
RVM 40 H 1/8	55
RVM 40 H	56
RVM 40 HFR	64
RVM 40 HKR	61
RVM 50 H	57
RVM 50 HFR	65
RVM 50 HKR	62
RVM 50	51
RVM 63 H	58
RVM 63 HFR	66
RVM 63 HKR	63
RVM 63	52
RVM 80 H 1/4	59
RVM 80	53